



D&L C-2670
OR APPROVED EQUIVALENT



TOP VIEW



SECTION

GENERAL NOTES:

1. DUE TO PROVISIONS IN THE INTERMODAL SURFACE TRANSPORTATION ACT, VENDORS MUST AUTHENTICATE U.S. ORIGIN OF CASTINGS FOR FEDERALLY FUNDED PROJECTS.
3. PROVIDE LIDS AND RINGS THAT MEET AASHTO 306 H20 LOADING RATING OR HIGHER.
4. COMPOSITE TAPERED GRADE RINGS SHALL BE USED TO MATCH FRAME & GRATE TO THE CURB LINE CROSS SLOPE AND RUNNING SLOPE OR STREET CROSS SLOPE AND RUNNING SLOPE WHERE NOT IN CONCRETE. SEE STD-604A FOR STANDARD MANHOLE RING SPECIFICATIONS.
5. GRATE SHALL BE USED WHEN GRATE IS LOCATED IN ADA TRAVEL PATH. GRATE MAY BE USED ONLY WITH PRIOR CITY ENGINEER APPROVAL

December 2021



Engineering Division

ADA Area Drain Grate

Approved By
Utility Engineer
Andy Schultz, PE

Adopted: 09/28/2020
Revised: 04/13/2021

STD - 604D